


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL





UNDER REVIEW
URF 19-1148 19.10.31 (VM)


ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.	RED BARN MACHINE		
			-1	2	CLAMP	4140 Q&T	Ø2 x 2	2	TITLE PULLER		
			-3	1	BOLT	4140 Q&T	1/2-20 UNF x 3-1/2 MCMaster-CARR #92620A751 (NEEDS MOD.)	3	DWG NO. RB T102121-101 REV		
			-5	1	NUT	4140 Q&T	Ø1-3/8 x 1-1/16	4	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1		
			-7	1	PUSHER	BRASS	Ø1-1/4 x 1	5			
			-9	1	SLEEVE	1018	Ø2 x 1-5/16	6	DRAWN BY: CLOUGH		
		B/O	-11	1	FLAT WASHER	STEEL	Ø.26 I.D. x 1/2 O.D. MCMaster-CARR #95229A420	1	APPROVED <i>D Weil</i>		
		B/O	-13	1	COTTER PIN	STEEL	Ø1/16 x 3/4 MCMaster-CARR #98338A105	1	HEAT TREAT FINISH SPEC		
									USED ON MODEL		
									BELL		
									UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		
									SCALE NTS	DATE 12-2-10	SHEET 1 of 6

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




(-1)
CLAMP



UNDER REVIEW
URF 19-1148 19.10.31 (VM)


 RED BARN MACHINE	
TITLE PULLER	
DWG NO. RB T102121-101-1	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX $\pm .005$.XX $\pm .01$ X $\pm .1$	DRAWN BY: CLOUGH APPROVED: <i>D Weil</i> HEAT TREAT FINISH: CAD PLATE YELLOW SPEC: QQ-P-416F, TYPE II, CLASS II USED ON MODEL: BELL
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 $\times 45^\circ$ PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 12-2-10 SHEET 2 of 6

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED





BOLT

URF 19-1148 19.10.31 (VM)

 RED BARN MACHINE	
TITLE <div style="text-align: center; font-size: 2em;">PULLER</div>	
DWG NO. <div style="text-align: center; font-size: 1.5em;">RB T102121-101-3</div>	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: .XXX ± .005 .XX ± .01 X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	DRAWN BY: CLOUGH APPROVED: <i>D Weid</i> HEAT TREAT FINISH: CAD PLATE YELLOW SPEC: QQ-P-416F, TYPE II, CLASS II USED ON MODEL <div style="text-align: center; font-size: 1.5em;">BELL</div>
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 0.015 x 45° PR. 015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS DATE 12-2-10 SHEET 3 of 6

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




-5
NUT


UNDER REVIEW
URF 19-1148 19.10.31 (VM)

RB RED BARN MACHINE	
TITLE PULLER	
DWG NO. RB T102121-101-5	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: CLOUGH APPROVED: <i>D Weil</i> HEAT TREAT FINISH CAD PLATE YELLOW SPEC QQ-P-416F, TYPE II, CLASS II USED ON MODEL BELL	
SCALE NTS	DATE 12-2-10 SHEET 4 of 6

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED





UNDER REVIEW
URF 19-1148 19.10.31 (VM)

 RED BARN MACHINE			
TITLE <div style="text-align: center; font-size: 2em;">PULLER</div>			
DWG NO. <div style="text-align: center; font-size: 1.5em;">RB T102121-101-7</div>			REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°		DRAWN BY: CLOUGH <i>D Weid</i> HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL <div style="text-align: center; font-size: 1.5em;">BELL</div>	
SCALE <div style="font-size: 2em;">NTS</div>	DATE <div style="font-size: 1.5em;">12-2-10</div>	SHEET <div style="font-size: 1.5em;">5 of 6</div>	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



SECTION A-A

UNDER REVIEW

URF 19-1148 19.10.31 (VM)

Ⓣ-9
SLEEVE

RB RED BARN MACHINE	
TITLE PULLER	
DWG NO. RB T102121-101-9	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
FRACTIONS ± 1/32 ANGLES ± .5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: CLOUGH APPROVED: <i>D Weil</i> HEAT TREAT FINISH CAD PLATE YELLOW SPEC QQ-P-416F, TYPE II, CLASS II USED ON MODEL BELL	
SCALE NTS	DATE 12-2-10
SHEET 6 of 6	